UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/800,651	03/16/2004	Shusuke Akazaki	107101-00050	1118	
·-·-	4372 7590 11/17/2008 ARENT FOX LLP			EXAMINER	
1050 CONNEC	TICUT AVENUE, N.	NGUYEN, TU MINH			
	SUITE 400 WASHINGTON, DC 20036		ART UNIT	PAPER NUMBER	
			3748		
			NOTIFICATION DATE	DELIVERY MODE	
			11/17/2008	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

DCIPDocket@arentfox.com IPMatters@arentfox.com Patent_Mail@arentfox.com

	Application No.	Applicant(s)
	10/800,651	AKAZAKI ET AL.
Office Action Summary	Examiner	Art Unit
	TU M. NGUYEN	3748
The MAILING DATE of this communication appeariod for Reply	pears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>28 F</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowated closed in accordance with the practice under the process.	s action is non-final. ince except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 1 and 7-14 is/are pending in the appl 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1 and 7-14 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	wn from consideration.	
9) The specification is objected to by the Examine	or	
10) ☐ The drawing(s) filed on 16 March 2004 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct that any objected to by the E.	a) accepted or b) objected to drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document 4 See the attached detailed Office action for a list 	ts have been received. ts have been received in Application trity documents have been receive nu (PCT Rule 17.2(a)).	ion No. <u>08/975,101</u> . ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Di 5) Notice of Informal F 6) Other:	ate

Application/Control Number: 10/800,651 Page 2

Art Unit: 3748

DETAILED ACTION

1. This Office Action is a response to a Personal Interview conducted on February 28, 2008; and it has been decided to re-open the prosecution. Consequently, a new non-final rejection is set forth below. Overall, claims 1 and 7-14 are pending in this application.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office Action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Adamczyk, Jr. et al. (U.S. Patent 5,524,433) in view of Maki et al. (U.S. Patent 5,657,736) as an applicant's admitted prior art.

As shown in Figure 7, Adamczyk, Jr. et al. disclose a system for purifying exhaust gas generated by an internal combustion engine (32) having an air intake system (37) and an exhaust system which includes an exhaust pipe (43) extending from an exhaust manifold of the engine and a catalyst (44) installed in the exhaust pipe, the exhaust system exhausting gas generated by the engine to the atmosphere, comprising:

Art Unit: 3748

- a bypass (not numbered but clearly shown) branching out from the exhaust pipe at a location downstream of the catalyst (44) and merging to the exhaust pipe downstream of the branching point;
 - an adsorber (31) installed in the bypass;
 - valve means (47) which closes the bypass;
- a conduit (84) connected to the bypass at one end and connected to the air intake system for recirculating the exhaust gas to the air intake system;
- valve control means (35) which operates the valve means to open the bypass for a period since starting of the engine to introduce the exhaust gas to the bypass such that the adsorber installed in the bypass adsorbs the unburnt component in the exhaust gas (see Figure 1); and then closes the valve means to recirculate the adsorbed unburnt component through the conduit with the exhaust gas after having desorbed from the adsorber (see Figures 2 and 7);
- EGR control means (82) which causes the exhaust gas introduced in the bypass to be recirculated to the air intake system through the conduit;
- fuel injection quantity determining means (35) for determining a quantity of fuel injection to be supplied to the engine (lines 56-59 of column 7);
 - air-fuel ratio detecting means (39) for detecting an air-fuel ratio of the exhaust gas;
- feedback loop means (35) having an adaptive controller with an adaptation mechanism that estimates an adaptive parameter (an amount of HC desorbed from the adsorber recirculating back to the engine), the adaptive controller calculates a quantity of fuel injection based on the estimated adaptive parameter such that the detected air-fuel ratio converges to a desired air-fuel ratio (stoichiometric air-fuel ratio) (see at least lines 56-59 of column 7);

Art Unit: 3748

- EGR correction coefficient calculating means (35) for calculating an EGR correction (the amount of HC desorbed from the adsorber recirculating back to the engine) when recirculating the exhaust gas to the air intake system (line 65 of column 7 to line 6 of column 8); and

- fuel injection quantity correcting means (35) for correcting the quantity of fuel injection based on at least the EGR correction (lines 51-59 of column 7).

Adamczyk, Jr. et al., however, fail to disclose that EGR correction coefficient calculating means calculates an EGR correction coefficient; and that the fuel injection quantity correcting means corrects the quantity of fuel injection based on at least the EGR correction coefficient and a feedback correction coefficient.

As illustrated in Figure 1, Maki et al. disclose a fuel metering control system for an internal combustion engine having an EGR system (100). As depicted in Figures 24 and indicated on lines 4-13 of column 20, Maki et al. teach that it is conventional in the art to compute an EGR correction coefficient (KEGRN) based on a net EGR rate; and a fuel injection quantity into the engine is then determined by multiplying a basic fuel injection quantity (TIM-F) with KTOTAL which is a product of KEGRN and other correction coefficients (KPUG, KTW, KTA, etc). It would have been obvious to one having ordinary skill in the art at the time of the invention was made, to have utilized the teaching by Maki et al. in the system of Adamczyk, Jr. et al., since the use thereof would have been routinely utilized by those with ordinary skill in the art to accurately control an engine air-fuel ratio to a desired or target value.

Application/Control Number: 10/800,651

Page 5

Art Unit: 3748

4. Claims 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adamczyk, Jr. et al. in view of Maki et al. as applied to claim 1 above, and further in view of Zahn et al. (U.S. Patent 5,613,359).

Re claim 7, the modified system of Adamczyk, Jr. et al. discloses the invention as cited above, however, fails to specifically disclose that the valve control means including catalyst temperature parameter detecting means for detecting a parameter relating to a temperature of the catalyst; and determines the period based on the detected parameter.

As illustrated in Figure 1, Zahn et al. disclose an exhaust gas purifying apparatus having a first catalyst (4) and HC adsorber (6) located in a bypass passage (5); wherein an ECU (9) controls a valve (8) in a open position during a period in which the HC adsorber is within a HC adsorbing temperature range. Zahn et al. teach that it is conventional in the art to utilize a temperature detecting means (11) to detect a temperature of the first catalyst such that the period is based on the detected temperature (see claim 1). It would have been obvious to one having ordinary skill in the art at the time of the invention was made, to have utilized the teaching by Zahn et al. in the modified system of Adamczyk, Jr. et al., since the use thereof would have been routinely utilized by those with ordinary skill in the art to control an operation of a HC adsorber to minimize HC emissions during an engine cold start.

Re claim 8, in the modified system of Adamczyk, Jr. et al., the valve control means decreases the period with increasing temperature of the catalyst.

Re claim 9, in the modified system of Adamczyk, Jr. et al., the valve control means decreases the period when the engine is under high load (in which an exhaust gas temperature is higher).

Re claim 10, in the modified system of Adamczyk, Jr. et al., the valve control means decreases the period when the engine is in a failsafe condition (lines 18-25 of column 6).

5. Claims 11-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adamczyk, Jr. et al. in view of Maki et al. and Zahn et al. as applied to claim 7 above, and further in view of Tomisawa (U.S. Patent 5,606,855).

Re claim 11, the modified system of Adamczyk, Jr. et al. discloses the invention as cited above, however, fails to specifically disclose that the parameter is a coolant temperature of the engine.

Tomisawa teaches an apparatus for estimating the temperature of a catalyst during an engine start-up simply and accurately by using a coolant temperature sensor (15). Tomisawa further teaches that the apparatus does not include an additional temperature sensor located at the catalyst, which can incur more cost to the apparatus (lines 64+ of column 1). It would have been obvious to one having ordinary skill in the art at the time of the invention was made, to have utilized the apparatus taught by Tomisawa in the modified system of Adamczyk, Jr. et al., since the use thereof would have saved cost and lowered the complexity of the system.

Re claim 12, in the modified system of Adamczyk, Jr. et al., the valve control means decreases the period with increasing temperature of the catalyst.

Re claim 13, in the modified system of Adamczyk, Jr. et al., the valve control means decreases the period when the engine is under high load (in which an exhaust gas temperature is higher).

Re claim 14, in the modified system of Adamczyk, Jr. et al., the valve control means decreases the period when the engine is in a failsafe condition (lines 18-25 of column 6).

Application/Control Number: 10/800,651 Page 7

Art Unit: 3748

Response to Arguments

6. Applicant's arguments with respect to the references applied in the previous Office Action have been fully considered but they are moot in view of the new ground(s) of rejection.

Communication

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Tu Nguyen whose telephone number is (571) 272-4862.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Thomas E. Denion, can be reached on (571) 272-4859. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Tu M. Nguyen/

Tu M. Nguyen

TMN
November 7, 2008

·-- ·

Primary Examiner

Art Unit 3748